



**No More  
Flat Tires**

**0%** Downtime = **100%** Uptime

**The Tire that Never Goes Flat**

OTR's patent-pending NDX™ tire & wheel features OEM-approved treads, in popular sizes, designed for commercial turf equipment as well as utility and rough terrain vehicles. Sold as an assembly – tire and wheel included – it's a bolt-on replacement for stock tires and wheels that's easy to install.



**OTR's game-changing, patent-pending tire & wheel LASTS OVER 2X LONGER than other airless options.**

NDX lasts up to 2x longer than other airless tire options, even when carrying heavy loads and after sustaining damage. It just keeps rolling, no matter what, ensuring more value and a better ROI.



KEY FEATURES:

- No flat tires = NO downtime or loss of productivity.
- Long-lasting and ultra-durable, ideal for worksites.
- Exceptional traction, grip and handling on rough terrain.
- Comfortable ride – same or better than pneumatics.
- Wide contact patch enhances stability and braking.
- Though an airless tire, air can be added for increased performance.

**NDX Commercial Turf**



- Supports loaded grass catchers with no tire impact.
- Supports loads up to 880 lbs at 10-20 PSI.

**1** flat tire every other week

=

**26** flat tires annually

**1** flat tire

=

**2** hours of downtime

**2** hours of downtime

=

**52** hours of lost productivity annually



## NDX System: An ECO-Friendly Mobility Solution

NDX tires reduce fuel consumption by up to 10%, making them an eco-friendly solution. Plus, tires lasts longer, resulting in less waste.



## NDX Warranty

The NDX warranty term extends to three (3) years from date of purchase. Coverage is terminated once tread depth reaches 3 mm (or 4/32"), as will be indicated by tread wear indicator (TWI) tabs located between the treads and on the sidewalls.

*See warranty document for full details.*



## NDX Powersports



→ On OTR's figure-eight test track, a **1-1/2" hole was drilled into the sidewall** of the NDX tire. It was then placed under a 1,000-lb. load and driven for 1,000 miles with no degradation in performance.

**\$300**  
cost per incident  
(lost productivity + labor)

=

**\$7,800**  
in opportunity costs

Utility & Rough Terrain Vehicles:

**10** vehicles in the average fleet = **\$78,000**  
lost annually

Zero-Turn, Riding & Stand-On Mowers:

**4** vehicles in the average fleet = **\$31,200**  
lost annually



# NDX Commercial Turf

Zero-Turn, Riding & Stand-On Mowers



AVAILABLE FOR ORDER:

GRASS MASTER

ZERO T II S

| Fitment                                                                                                                                                                                                                                                                                                                            | Description                           | Brand                       | Part Number                                     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|-----------------------------|-------------------------------------------------|
| <b>Bad Boy</b>                                                                                                                                                                                                                                                                                                                     |                                       |                             |                                                 |
| Maverick 5400/6000                                                                                                                                                                                                                                                                                                                 | 23 X 10.50-14, 5 ON 4.5, -1.5 OFFSET  | GRASS MASTER<br>ZERO T II S | NDX23105014545N150GM<br>NDX23105014545N150ZTIIS |
| Outlaw 5400/6100 Outlaw XP 5400/6100/7200<br>Outlaw Extreme 6100/7200 Rebel 5400/6100/7200                                                                                                                                                                                                                                         | 24 X 12.00-14, 5 ON 4.5, -1.5 OFFSET  | GRASS MASTER                | NDX241214545N150GM                              |
| Renegade 6100/7200<br>Rogue 5400/6100/7200                                                                                                                                                                                                                                                                                         | 26 X 12.00-16, 5 ON 4.5, -2.25 OFFSET | GRASS MASTER                | NDX261216545N225GM                              |
| <b>Bob-Cat</b>                                                                                                                                                                                                                                                                                                                     |                                       |                             |                                                 |
| XRS Pro RS 942630/942631/942632                                                                                                                                                                                                                                                                                                    | 23 X 10.50-14, 4 ON 4, -1 OFFSET      | GRASS MASTER<br>ZERO T II S | NDX2310501444N1GM<br>NDX2310501444N1ZTIIS       |
| ProCat 6000MX/9996005/9996006                                                                                                                                                                                                                                                                                                      | 24 X 12.00-14, 4 ON 4, -1 OFFSET      | GRASS MASTER                | NDX24121444N1GM                                 |
| Predator-Pro 7000 9997001/9997002/9997003/9997004                                                                                                                                                                                                                                                                                  | 26 X 12.00-16, 4 ON 4, -1 OFFSET      | GRASS MASTER                | NDX26121644N1GM                                 |
| <b>Bush Hog</b>                                                                                                                                                                                                                                                                                                                    |                                       |                             |                                                 |
| HDE2049KT2/HDE2049KT3/HDE2249FS2/HDE2249FS3/<br>HDE2255FS2/HDE2255FS3/HDE2261FS2/HDE2261FS3/<br>HDE2549PS2/HDE2555KP2/HDE2555KP3/HDE2555PS2/<br>HDE2561KP2/HDE2561KP3/HDE2561PS2/HDC2355FS2/<br>HDC2361FS2/HDC2361FS3/HDC2555KP2/HDC2561KP2/<br>HDC2561KP3/HDZ2761CV2/HDZ2773CV2/HDZ3161FX2/<br>HDZ3173FX2/HDZ3361ECV2/HDZ3373ECV2 | 23 X 10.50-14, 5 ON 4.5, -1.5 OFFSET  | GRASS MASTER<br>ZERO T II S | NDX23105014545N150GM<br>NDX23105014545N150ZTIIS |
| HDZ3161FX3/HDZ3173FX3/HDZ3361ECV3/HDZ3373ECV3/<br>HDZ2761CV2/HDZ2773CV2/HDZ3161FX2/HDZ3173FX2/<br>HDZ3361ECV2/HDZ3373ECV2                                                                                                                                                                                                          | 24 X 12.00-14, 5 ON 4.5, -1.5 OFFSET  | GRASS MASTER                | NDX241214545N150GM                              |
| <b>Country Clipper</b>                                                                                                                                                                                                                                                                                                             |                                       |                             |                                                 |
| Charger 52" & 60" ZTR                                                                                                                                                                                                                                                                                                              | 24 X 12.00-14, 5 ON 4.5, -1.5 OFFSET  | GRASS MASTER                | NDX241214545N150GM                              |
| Boss XL 60" & 72" ZTR                                                                                                                                                                                                                                                                                                              | 26 X 12.00-16, 5 ON 4.5, -1 OFFSET    | GRASS MASTER                | NDX261216545N1GM                                |
| <b>Cub Cadet</b>                                                                                                                                                                                                                                                                                                                   |                                       |                             |                                                 |
| Pro Z Series 148/154/160                                                                                                                                                                                                                                                                                                           | 23 X 10.50-14, 4 ON 4, -2.25 OFFSET   | GRASS MASTER<br>ZERO T II S | NDX2310501444N225GM<br>NDX2310501444N225ZTIIS   |
| Ultima ZTX6 48" & 54"                                                                                                                                                                                                                                                                                                              | 24 X 12.00-14, 4 ON 4, -1 OFFSET      | GRASS MASTER                | NDX24121444N1GM                                 |
| Ultima ZTX6 60" Pro Z 500 Z Turn 54"/548 L KW/554 L KW/<br>554 S KW/560 L KW/560 S KW/760/772/960 S KW                                                                                                                                                                                                                             | 24 X 12.00-14, 4 ON 4, -2.25 OFFSET   | GRASS MASTER                | NDX24121444N225GM                               |
| Pro Z 900 Z Turn/960 L KW/972 S KW/972 L KW                                                                                                                                                                                                                                                                                        | 26 X 12.00-16, 4 ON 4, -2.25 OFFSET   | GRASS MASTER                | NDX26121644N225GM                               |

| Fitment                                                                                                                                                                                                                                                         | Description                           | Brand                       | Part Number                                   |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|-----------------------------|-----------------------------------------------|
| <b>Dixie Chopper</b>                                                                                                                                                                                                                                            |                                       |                             |                                               |
| <b>Magnum</b> 2450KW/2462KW/2550KO/2560KO<br><b>Blackhawk</b> 2248KW/2454KW/2460KW<br><b>Blackhawk HP</b> 2248KW/2248KOE/2454KW/2454KOE/<br>2460KW/2560KOE <b>Striker</b> 2548KWE/2554KWE                                                                       | 23 X 10.50-14, 4 ON 4, -1 OFFSET      | GRASS MASTER<br>ZERO T II S | NDX2310501444N1GM<br>NDX2310501444N1ZTIIS     |
| <b>Eagle</b> 2754KW/2754KOE/2760KW/2760KOE<br><b>Eagle HP</b> 3160KW/3160KOE/3366KOE/3372KOE/<br>3566KW/3572KW <b>Classic</b> 2750KW/2760KW/<br>3160KW/3160KOE/3572KW/3572KOE/3672BR<br><b>Xcaliber</b> 3160KW/3360KOE/3366KW/3366KOE/<br>3574KW/3574KOE/3674BR | 26 X 12.00-16, 4 ON 4, -1 OFFSET      | GRASS MASTER                | NDX26121644N1GM                               |
| <b>Exmark</b>                                                                                                                                                                                                                                                   |                                       |                             |                                               |
| <b>Lazer Z AS</b> 48", 52", 60" & 72" <b>Lazer Z S-Series</b> 72"                                                                                                                                                                                               | 24 X 12.00-14, 4 ON 4, -1 OFFSET      | GRASS MASTER                | NDX24121444N1GM                               |
| <b>Lazer Z Diesel</b>                                                                                                                                                                                                                                           | 26 X 12.00-16, 5 ON 4.5, -1.5 OFFSET  | GRASS MASTER                | NDX261216545N150GM                            |
| <b>Ferris</b>                                                                                                                                                                                                                                                   |                                       |                             |                                               |
| F160Z/IS 2100 Z Series                                                                                                                                                                                                                                          | 24 X 9.50-14, 5 ON 4.5, -1.5 OFFSET   | GRASS MASTER                | NDX2495014545N150GM                           |
| F210Z/IS 2600 Z Series                                                                                                                                                                                                                                          | 24 X 12.00-14, 5 ON 4.5, -1.5 OFFSET  | GRASS MASTER                | NDX241214545N150GM                            |
| F320Z/IS 3200 Z Series                                                                                                                                                                                                                                          | 26 X 12.00-16, 5 ON 4.5, -1 OFFSET    | GRASS MASTER                | NDX261216545N1GM                              |
| <b>Grasshopper</b>                                                                                                                                                                                                                                              |                                       |                             |                                               |
| <b>MidMount</b> 200V-G4 Series 52" & 61" <b>MidMount</b> 225 48" &<br>52"/321D 48"/325D/329B/329 52"                                                                                                                                                            | 23 X 10.50-14, 5 ON 4.5, -1 OFFSET    | GRASS MASTER<br>ZERO T II S | NDX23105014545N1GM<br>NDX23105014545N1ZTIIS   |
| <b>MidMount</b> 333G5 61" & 72"                                                                                                                                                                                                                                 | 26 X 12.00-16, 5 ON 4.5, -2.25 OFFSET | GRASS MASTER                | NDX261216545N225GM                            |
| <b>Gravely</b>                                                                                                                                                                                                                                                  |                                       |                             |                                               |
| <b>Pro Turn 100</b> 148/152/160                                                                                                                                                                                                                                 | 23 X 10.50-14, 5 ON 4.5, -2.25 OFFSET | GRASS MASTER                | NDX23105014545N225GM                          |
| <b>Pro Turn 200</b> 60" & 72" <b>Pro Turn 400</b> 60" & 72"                                                                                                                                                                                                     | 24 X 12.00-14, 5 ON 4.5, -2.25 OFFSET | GRASS MASTER                | NDX241214545N225GM                            |
| <b>Husqvarna</b>                                                                                                                                                                                                                                                |                                       |                             |                                               |
| M-ZT52/M-ZT61/Z554/Z554X                                                                                                                                                                                                                                        | 23 X 10.50-14, 4 ON 4, -1 OFFSET      | GRASS MASTER                | NDX2310501444N1GM                             |
| Z560/Z560X/Z572X                                                                                                                                                                                                                                                | 24 X 12.00-14, 4 ON 4, -1 OFFSET      | GRASS MASTER                | NDX24121444N1GM                               |
| <b>Hustler</b>                                                                                                                                                                                                                                                  |                                       |                             |                                               |
| <b>Fastrack SDX</b> 54" & 60"                                                                                                                                                                                                                                   | 23 X 10.50-14, 4 ON 4, -1 OFFSET      | GRASS MASTER                | NDX2310501444N1GM                             |
| <b>Super Z</b> 54"                                                                                                                                                                                                                                              | 24 X 9.50-14, 5 ON 4.5, 0.5 OFFSET    | GRASS MASTER<br>ZERO T II S | NDX2495014545P050GM<br>NDX2495014545P050ZTIIS |
| <b>X-One</b> 52" & 54"                                                                                                                                                                                                                                          | 24 X 9.50-14, 5 ON 4.5, -1 OFFSET     | GRASS MASTER                | NDX2495014545N1GM                             |
| <b>X-One</b> 60" & 72"                                                                                                                                                                                                                                          | 24 X 12.00-14, 5 ON 4.5, -1.5 OFFSET  | GRASS MASTER                | NDX241214545N150GM                            |
| <b>Super Z</b> 60", 66" & 72" <b>Hustler Z Diesel</b> 60" & 72"                                                                                                                                                                                                 | 24 X 12.00-14, 5 ON 4.5, 0.5 OFFSET   | GRASS MASTER                | NDX241214545P050GM                            |
| <b>Super Z Hyperdrive</b> 60" <b>Super 88</b>                                                                                                                                                                                                                   | 26 X 12.00-16, 5 ON 4.5, 0.5 OFFSET   | GRASS MASTER                | NDX261216545P050GM                            |
| <b>Super Z Hyperdrive</b> 66" & 72" <b>Super 104</b>                                                                                                                                                                                                            | 26 X 12.00-16, 5 ON 4.5, -1 OFFSET    | GRASS MASTER                | NDX261216545N1GM                              |
| <b>John Deere</b>                                                                                                                                                                                                                                               |                                       |                             |                                               |
| <b>ZTrak</b> Z540R 48", 54" & 60"/Z720E 54" & 60"/<br>Z730M 54" & 60"/ Z735M 54" & 60"/Z735E 60"                                                                                                                                                                | 23 X 10.50-14, 4 ON 4, -1 OFFSET      | GRASS MASTER<br>ZERO T II S | NDX2310501444N1GM<br>NDX2310501444N1ZTIIS     |
| <b>ZTrak</b> Z740R/Z915E 54" & 60"/Z920M/Z925M 54" & 60"/<br>Z930M/Z930R 54" & 60"/Z950M/Z950R/Z970R 60"/<br>Z994 54", 60" & 72"                                                                                                                                | 24 X 12.00-14, 4 ON 4, -1 OFFSET      | GRASS MASTER                | NDX24121444N1GM                               |
| <b>ZTrak</b> Z950M/Z950R/Z970R 72"                                                                                                                                                                                                                              | 24 X 12.00-14, 4 ON 4, -2.25 OFFSET   | GRASS MASTER                | NDX24121444N225GM                             |
| <b>ZTrak</b> Z997 54" & 60"                                                                                                                                                                                                                                     | 26 X 12.00-16, 4 ON 4, -1 OFFSET      | GRASS MASTER                | NDX26121644N1GM                               |
| <b>Kioti</b>                                                                                                                                                                                                                                                    |                                       |                             |                                               |
| ZXC60/ZXC48 SE/ZXC54 SE/ZXC60 SE                                                                                                                                                                                                                                | 23 X 10.50-14, 4 ON 4, -2.25 OFFSET   | GRASS MASTER                | NDX2310501444N225GM                           |
| CS2210/CS2510                                                                                                                                                                                                                                                   | 26 X 12.00-16, 5 ON 4.5, -1 OFFSET    | GRASS MASTER                | NDX261216545N1GM                              |



## NDX COMMERCIAL TURF CONTINUED

| Fitment                                                                                                                           | Description                           | Brand                       | Part Number                                     |
|-----------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|-----------------------------|-------------------------------------------------|
| <b>Kubota</b>                                                                                                                     |                                       |                             |                                                 |
| ZG222/ZG227                                                                                                                       | 23 X 10.50-14, 5 ON 4.5, -1 OFFSET    | GRASS MASTER<br>ZERO T II S | NDX23105014545N1GM<br>NDX23105014545N1ZTIIS     |
| SZ26-61                                                                                                                           | 23 X 10.50-14, 4 ON 4, -1 OFFSET      | GRASS MASTER<br>ZERO T II S | NDX2310501444N1GM<br>NDX2310501444N1ZTIIS       |
| Z751KWi-48                                                                                                                        | 24 X 9.50-14, 5 ON 4.5, -1 OFFSET     | GRASS MASTER                | NDX2495014545N1GM                               |
| Z421KWT-60 (Z400)                                                                                                                 | 24 X 12.00-14, 4 ON 4, -1 OFFSET      | GRASS MASTER                | NDX24121444N1GM                                 |
| Z725KH-60/Z726XKW-60/Z725KH-2-60/Z726XKW-2-60/<br>Z781KWTI-60/ZD1021-60                                                           | 24 X 12.00-14, 5 ON 4.5, -1.5 OFFSET  | GRASS MASTER                | NDX241214545N150GM                              |
| ZD1211-60/ZD1211R-60R/ZD1211L-72/<br>ZD1211RL-72R/ZD1511RL-60R/ZD1511LF-72/<br>ZD1511RLF-72R/ZG327PA-60/ZG327RPA-60               | 26 X 12.00-16, 5 ON 4.5, -2.25 OFFSET | GRASS MASTER                | NDX261216545N225GM                              |
| <b>Scag</b>                                                                                                                       |                                       |                             |                                                 |
| Cougar & Tiger Cub 48"                                                                                                            | 23 X 10.50-14, 4 ON 4, -1 OFFSET      | GRASS MASTER                | NDX2310501444N1GM                               |
| Cougar & Tiger Cub 52"                                                                                                            | 23 X 10.50-14, 4 ON 4, -2.25 OFFSET   | GRASS MASTER                | NDX2310501444N225GM                             |
| Tiger Cat & Wild Cat 48" Tiger Cat II 52"/STCII-52V                                                                               | 24 X 9.50-14, 4 ON 4, -1 OFFSET       | GRASS MASTER                | NDX249501444N1GM                                |
| V-Ride II 48" & 52" Tiger Cat & Wild Cat 52"                                                                                      | 24 X 9.50-14, 4 ON 4, -2.25 OFFSET    | GRASS MASTER                | NDX249501444N225GM                              |
| V-Ride II 61" Wildcat 48"-72" Sabre Tooth 48"-72"<br>Turf Tiger 48"-72"/SMT-61V & 72V Tiger Cat II STCII-61V<br>Patriot 52" & 61" | 24 X 12.00-14, 4 ON 4, -2.25 OFFSET   | GRASS MASTER                | NDX24121444N225GM                               |
| Cheetah 61"-72"                                                                                                                   | 24 X 12.00-14, 5 ON 4.5, -1.5 OFFSET  | GRASS MASTER                | NDX241214545N150GM                              |
| Turf Tiger II 61" & 72"                                                                                                           | 26 X 12.00-16, 4 ON 4, -2.25 OFFSET   | GRASS MASTER                | NDX26121644N225GM                               |
| <b>Spartan</b>                                                                                                                    |                                       |                             |                                                 |
| RT HD 54"/SRT PRO 54"                                                                                                             | 23 X 10.50-14, 5 ON 4.5, -1.5 OFFSET  | GRASS MASTER<br>ZERO T II S | NDX23105014545N150GM<br>NDX23105014545N150ZTIIS |
| RT PRO 54" & 61"/RT HD 61"/SRT PRO 61"/SRT HD 54" & 61"/<br>SRT XD 61" & 72"                                                      | 24 X 12.00-14, 5 ON 4.5, -1.5 OFFSET  | GRASS MASTER                | NDX241214545N150GM                              |
| <b>Toro</b>                                                                                                                       |                                       |                             |                                                 |
| Z Master 60" & 72"                                                                                                                | 24 X 12.00-14, 4 ON 4, -1 OFFSET      | GRASS MASTER                | NDX24121444N1GM                                 |
| <b>Wright</b>                                                                                                                     |                                       |                             |                                                 |
| ZTO 48"                                                                                                                           | 23 X 10.50-14, 5 ON 4.5, -1.5 OFFSET  | GRASS MASTER<br>ZERO T II S | NDX23105014545N150GM<br>NDX23105014545N150ZTIIS |
| MMZ 52"                                                                                                                           | 24 X 9.50-14, 5 ON 4.5, -1.5 OFFSET   | GRASS MASTER                | NDX2495014545N150GM                             |
| MMZ 61"/ZTO 52" & 61"                                                                                                             | 24 X 12.00-14, 5 ON 4.5, -1.5 OFFSET  | GRASS MASTER                | NDX241214545N150GM                              |





## NDX Powersports

Utility & Rough Terrain Vehicles



AVAILABLE FOR ORDER:

350 MAG

| Fitment                                                | Description                            | Brand   | Part Number       |
|--------------------------------------------------------|----------------------------------------|---------|-------------------|
| <b>Bobcat</b>                                          |                                        |         |                   |
| 3400/3450/3600/3650                                    | 25 X 10.00-14, 4 ON 156 MM, 0 OFFSET   | 350 MAG | NDX25101441560350 |
| <b>Can-Am</b>                                          |                                        |         |                   |
| <b>Defender</b> 500/DPS                                | 25 X 10.00-14, 4 ON 137 MM, 0 OFFSET   | 350 MAG | NDX25101441370350 |
| <b>Commander</b> 800/1000 <b>Defender</b> 800/1000     | 26 X 9.00-14, 4 ON 137 MM, 0 OFFSET    | 350 MAG | NDX2691441370350  |
| <b>CFMOTO</b>                                          |                                        |         |                   |
| <b>UFORCE</b> 500/800                                  | 26 X 9.00-14, 4 ON 110 MM, 0 OFFSET    | 350 MAG | NDX2691441100350  |
| <b>Club Car</b>                                        |                                        |         |                   |
| <b>Carryall</b> 1500/1700 <b>XRT</b> 1550/1550 SE      | 25 X 10.00-14, 4 ON 4 IN, -1 OFFSET    | 350 MAG | NDX25101444N1350  |
| <b>Cub Cadet</b>                                       |                                        |         |                   |
| <b>Volunteer</b> 625                                   | 25 X 10.00-14, 5 ON 4.5 IN, 0.5 OFFSET | 350 MAG | NDX25101454P05350 |
| <b>Challenger</b> 550/750                              | 26 X 9.00-14, 4 ON 110 MM, 0 OFFSET    | 350 MAG | NDX2691441100350  |
| <b>Honda</b>                                           |                                        |         |                   |
| <b>Pioneer</b> 500/700/700 Deluxe                      | 25 X 10.00-14, 4 ON 110 MM, 0 OFFSET   | 350 MAG | NDX25101441100350 |
| <b>John Deere</b>                                      |                                        |         |                   |
| <b>Gator XUV</b> 625/825/850D/855 <b>Gator HPX</b> 854 | 25 X 10.00-14, 5 ON 4.5 IN, 0.5 OFFSET | 350 MAG | NDX25101454P05350 |
| <b>Kawasaki</b>                                        |                                        |         |                   |
| <b>Mule</b> 2500/3000/4000/4010                        | 25 X 10.00-14, 4 ON 137 MM, 0 OFFSET   | 350 MAG | NDX25101441370350 |
| <b>Mule Pro</b> 800                                    | 26 X 9.00-14, 4 ON 156 MM, 0 OFFSET    | 350 MAG | NDX2691441560350  |
| <b>Kubota</b>                                          |                                        |         |                   |
| <b>RTV</b> 850 Sidekick <b>RTV-X Series</b>            | 25 X 10.00-14, 4 ON 110 MM, 0 OFFSET   | 350 MAG | NDX25101441100350 |
| <b>RTV</b> 900 <b>RTV-X</b> 1140 CPX                   | 25 X 10.00-14, 5 ON 4.5 IN, 0.5 OFFSET | 350 MAG | NDX25101454P05350 |
| <b>Polaris</b>                                         |                                        |         |                   |
| <b>Ranger</b> 400/500/570 <b>Crew</b> 570/900          | 25 X 10.00-14, 4 ON 156 MM, 0 OFFSET   | 350 MAG | NDX25101441560350 |
| <b>Ranger XP</b> 900/XP 1000 <b>Crew XP</b> 1000       | 26 X 9.00-14, 4 ON 156 MM, 0 OFFSET    | 350 MAG | NDX2691441560350  |
| <b>Yamaha</b>                                          |                                        |         |                   |
| <b>Viking</b> 700/EPS/SE/Ranch                         | 25 X 10.00-14, 4 ON 110 MM, 0 OFFSET   | 350 MAG | NDX25101441100350 |
| <b>Wolverine</b> 700/800                               | 26 X 9.00-14, 4 ON 110 MM, 0 OFFSET    | 350 MAG | NDX2691441100350  |



