



No More Flat Tires

0% Downtime = 100% Uptime

The Tire that Never Goes Flat

OTR's patent-pending NDX™ tire & wheel features OEM-approved treads, in popular sizes, designed for commercial turf equipment as well as utility and rough terrain vehicles. Sold as an assembly – tire and wheel included – it's a bolt-on replacement for stock tires and wheels that's easy to install.



OTR's game-changing, patent-pending tire & wheel **LASTS OVER 2X LONGER** than other airless options.

NDX lasts up to 2x longer than other airless tire options, even when carrying heavy loads and after sustaining damage. It just keeps rolling, no matter what, ensuring more value and a better ROI.



KEY FEATURES:

- No flat tires = NO downtime or loss of productivity.
- Long-lasting and ultra-durable, ideal for worksites.
- Exceptional traction, grip and handling on rough terrain.
- Comfortable ride – same or better than pneumatics.
- Wide contact patch enhances stability and braking.

NDX Powersports



→ On OTR's figure-eight test track, a **1-1/2" hole was drilled into the sidewall** of the NDX tire. It was then placed under a 1,000-lb. load and driven for 1,000 miles with no degradation in performance.

1 flat tire every other week

=

26 flat tires annually

1 flat tire

=

2 hours of downtime

2 hours of downtime

=

52 hours of lost productivity annually

An ECO-Friendly Mobility Solution

NDX tires reduce fuel consumption by up to 10%, making them an eco-friendly solution. Plus, tires lasts longer, resulting in less waste.



Air Ready

Though designed to operate completely airless and deliver an extremely smooth ride, air can be added to NDX tires for enhanced ride comfort.

NDX Warranty

The NDX warranty term extends to three (3) years from date of purchase. Coverage is terminated once tread depth reaches 3 mm (or 4/32"), as will be indicated by tread wear indicator (TWI) tabs located between the treads and on the sidewalls.



See warranty document for full details.

NDX Commercial Turf



- Supports loaded grass catchers with no tire impact.
- Supports loads up to 880 lbs at 10-20 PSI.

\$300
cost per incident
(lost productivity + labor)

=

\$7,800
in opportunity costs

Utility & Rough Terrain Vehicles:

10 vehicles in the average fleet = **\$78,000** lost annually

Zero-Turn, Riding & Stand-On Mowers:

4 vehicles in the average fleet = **\$31,200** lost annually



NDX Powersports

Utility & Rough Terrain Vehicles



350 MAG

Fitment	Description	Brand	Part Number
BOBCAT			
3400/3450/3600/3650	25 X 10.00-14, 4 ON 156 MM, 0 OFFSET	350 MAG	NDX25101441560350
CAN-AM			
Defender 500/DPS	25 X 10.00-14, 4 ON 137 MM, 0 OFFSET	350 MAG	NDX25101441370350
Commander 800/1000 Defender 800/1000	26 X 9.00-14, 4 ON 137 MM, 0 OFFSET	350 MAG	NDX2691441370350
CFMOTO			
UFORCE 500/800	26 X 9.00-14, 4 ON 110 MM, 0 OFFSET	350 MAG	NDX2691441100350
CLUB CAR			
Carryall 1500/1700 XRT 1550/1550 SE	25 X 10.00-14, 4 ON 4 IN, -1 OFFSET	350 MAG	NDX25101444N1350
CUB CADET			
Volunteer 625	25 X 10.00-14, 5 ON 4.5 IN, 0.5 OFFSET	350 MAG	NDX25101454P05350
Challenger 550/750	26 X 9.00-14, 4 ON 110 MM, 0 OFFSET	350 MAG	NDX2691441100350
HONDA			
Pioneer 500/700/700 Deluxe	25 X 10.00-14, 4 ON 110 MM, 0 OFFSET	350 MAG	NDX25101441100350
JOHN DEERE			
Gator XUV 625/825/850D/855 Gator HPX 854	25 X 10.00-14, 5 ON 4.5 IN, 0.5 OFFSET	350 MAG	NDX25101454P05350
KAWASAKI			
Mule 2500/3000/4000/4010	25 X 10.00-14, 4 ON 137 MM, 0 OFFSET	350 MAG	NDX25101441370350
Mule Pro 800	26 X 9.00-14, 4 ON 156 MM, 0 OFFSET	350 MAG	NDX2691441560350
KUBOTA			
RTV 850 Sidekick RTV-X Series	25 X 10.00-14, 4 ON 110 MM, 0 OFFSET	350 MAG	NDX25101441100350
RTV 900 RTV-X 1140 CPX	25 X 10.00-14, 5 ON 4.5 IN, 0.5 OFFSET	350 MAG	NDX25101454P05350
POLARIS			
Ranger 400/500/570 Crew 570/900	25 X 10.00-14, 4 ON 156 MM, 0 OFFSET	350 MAG	NDX25101441560350
Ranger XP 900/XP 1000 Crew XP 1000	26 X 9.00-14, 4 ON 156 MM, 0 OFFSET	350 MAG	NDX2691441560350
YAMAHA			
Viking 700/EPS/SE/Ranch	25 X 10.00-14, 4 ON 110 MM, 0 OFFSET	350 MAG	NDX25101441100350
Wolverine 700/800	26 X 9.00-14, 4 ON 110 MM, 0 OFFSET	350 MAG	NDX2691441100350

NDX Commercial Turf

Zero-Turn, Riding & Stand-On Mowers

GRASS MASTER

ZERO T II S

Fitment	Description	Brand	Part Number
BAD BOY			
Maverick 5400/6000	23 X 10.50-14, 5 ON 4.5, -1.5 OFFSET	GRASS MASTER ZERO T II S	NDX23105014545N150GM NDX23105014545N150ZTIIS
Outlaw 5400/6100 Outlaw XP 5400/6100/7200 Outlaw Extreme 6100/7200 Rebel 5400/6100/7200	24 X 12.00-14, 5 ON 4.5, -1.5 OFFSET	GRASS MASTER	NDX241214545N150GM
Renegade 6100/7200 Rogue 5400/6100/7200	26 X 12.00-16, 5 ON 4.5, -2.25 OFFSET	GRASS MASTER	NDX261216545N225GM
BOB-CAT			
XRS Pro RS 942630/942631/942632	23 X 10.50-14, 4 ON 4, -1 OFFSET	GRASS MASTER ZERO T II S	NDX2310501444N1GM NDX2310501444N1ZTIIS
ProCat 6000MX/9996005/9996006	24 X 12.00-14, 4 ON 4, -1 OFFSET	GRASS MASTER	NDX24121444N1GM
Predator-Pro 7000 9997001/9997002/9997003/9997004	26 X 12.00-16, 4 ON 4, -1 OFFSET	GRASS MASTER	NDX26121644N1GM
BUSH HOG			
HDE2049KT2/HDE2049KT3/HDE2249FS2/HDE2249FS3/ HDE2255FS2/HDE2255FS3/HDE2261FS2/HDE2261FS3/ HDE2549PS2/HDE2555KP2/HDE2555KP3/HDE2555PS2/ HDE2561KP2/HDE2561KP3/HDE2561PS2/HDC2355FS2/ HDC2361FS2/HDC2361FS3/HDC2555KP2/HDC2561KP2/ HDC2561KP3/HDZ2761CV2/HDZ2773CV2/HDZ3161FX2/ HDZ3173FX2/HDZ3361ECV2/HDZ3373ECV2	23 X 10.50-14, 5 ON 4.5, -1.5 OFFSET	GRASS MASTER ZERO T II S	NDX23105014545N150GM NDX23105014545N150ZTIIS
HDZ3161FX3/HDZ3173FX3/HDZ3361ECV3/HDZ3373ECV3/ HDZ2761CV2/HDZ2773CV2/HDZ3161FX2/HDZ3173FX2/ HDZ3361ECV2/HDZ3373ECV2	24 X 12.00-14, 5 ON 4.5, -1.5 OFFSET	GRASS MASTER	NDX241214545N150GM
COUNTRY CLIPPER			
Charger 52" & 60" ZTR	24 X 12.00-14, 5 ON 4.5, -1.5 OFFSET	GRASS MASTER	NDX241214545N150GM
Boss XL 60" & 72" ZTR	26 X 12.00-16, 5 ON 4.5, -1 OFFSET	GRASS MASTER	NDX261216545N1GM
CUB CADET			
Pro Z Series 148/154/160	23 X 10.50-14, 4 ON 4, -2.25 OFFSET	GRASS MASTER ZERO T II S	NDX2310501444N225GM NDX2310501444N225ZTIIS
Ultima ZTX6 48" & 54"	24 X 12.00-14, 4 ON 4, -1 OFFSET	GRASS MASTER	NDX24121444N1GM
Ultima ZTX6 60" Pro Z 500 Z Turn 54"/548 L KW/554 L KW/ 554 S KW/560 L KW/560 S KW/760/772/960 S KW	24 X 12.00-14, 4 ON 4, -2.25 OFFSET	GRASS MASTER	NDX24121444N225GM
Pro Z 900 Z Turn/960 L KW/972 S KW/972 L KW	26 X 12.00-16, 4 ON 4, -2.25 OFFSET	GRASS MASTER	NDX26121644N225GM



NDX COMMERCIAL TURF CONTINUED

Fitment	Description	Brand	Part Number
DIXIE CHOPPER			
Magnum 2450KW/2462KW/2550KO/2560KO Blackhawk 2248KW/2454KW/2460KW Blackhawk HP 2248KW/2248KOE/2454KW/2454KOE/ 2460KW/2560KOE Striker 2548KWE/2554KWE	23 X 10.50-14, 4 ON 4, -1 OFFSET	GRASS MASTER ZERO T II S	NDX2310501444N1GM NDX2310501444N1ZTIIS
Eagle 2754KW/2754KOE/2760KW/2760KOE Eagle HP 3160KW/3160KOE/3366KOE/3372KOE/ 3566KW/3572KW Classic 2750KW/2760KW/ 3160KW/3160KOE/3572KW/3572KOE/3672BR Xcaliber 3160KW/3360KOE/3366KW/3366KOE/ 3574KW/3574KOE/3674BR	26 X 12.00-16, 4 ON 4, -1 OFFSET	GRASS MASTER	NDX26121644N1GM
EXMARK			
Lazer Z AS 48", 52", 60" & 72" Lazer Z S-Series 72"	24 X 12.00-14, 4 ON 4, -1 OFFSET	GRASS MASTER	NDX24121444N1GM
Lazer Z Diesel	26 X 12.00-16, 5 ON 4.5, -1.5 OFFSET	GRASS MASTER	NDX261216545N150GM
FERRIS			
F160Z/IS 2100 Z Series	24 X 9.50-14, 5 ON 4.5, -1.5 OFFSET	GRASS MASTER	NDX2495014545N150GM
F210Z/IS 2600 Z Series	24 X 12.00-14, 5 ON 4.5, -1.5 OFFSET	GRASS MASTER	NDX241214545N150GM
F320Z/IS 3200 Z Series	26 X 12.00-16, 5 ON 4.5, -1 OFFSET	GRASS MASTER	NDX261216545N1GM
GRASSHOPPER			
MidMount 200V-G4 Series 52" & 61" MidMount 225 48" & 52"/321D 48"/325D/329B/329 52"	23 X 10.50-14, 5 ON 4.5, -1 OFFSET	GRASS MASTER ZERO T II S	NDX23105014545N1GM NDX23105014545N1ZTIIS
MidMount 333G5 61" & 72"	26 X 12.00-16, 5 ON 4.5, -2.25 OFFSET	GRASS MASTER	NDX261216545N225GM
GRAVELY			
Pro Turn 100 148/152/160	23 X 10.50-14, 5 ON 4.5, -2.25 OFFSET	GRASS MASTER	NDX23105014545N225GM
Pro Turn 200 60" & 72" Pro Turn 400 60" & 72"	24 X 12.00-14, 5 ON 4.5, -2.25 OFFSET	GRASS MASTER	NDX241214545N225GM
HUSQVARNA			
M-ZT52/M-ZT61/Z554/Z554X	23 X 10.50-14, 4 ON 4, -1 OFFSET	GRASS MASTER	NDX2310501444N1GM
Z560/Z560X/Z572X	24 X 12.00-14, 4 ON 4, -1 OFFSET	GRASS MASTER	NDX24121444N1GM
HUSTLER			
Fastrack SDX 54" & 60"	23 X 10.50-14, 4 ON 4, -1 OFFSET	GRASS MASTER	NDX2310501444N1GM
Super Z 54"	24 X 9.50-14, 5 ON 4.5, 0.5 OFFSET	GRASS MASTER ZERO T II S	NDX2495014545P050GM NDX2495014545P050ZTIIS
X-One 52" & 54"	24 X 9.50-14, 5 ON 4.5, -1 OFFSET	GRASS MASTER	NDX2495014545N1GM
X-One 60" & 72"	24 X 12.00-14, 5 ON 4.5, -1.5 OFFSET	GRASS MASTER	NDX241214545N150GM
Super Z 60", 66" & 72" Hustler Z Diesel 60" & 72"	24 X 12.00-14, 5 ON 4.5, 0.5 OFFSET	GRASS MASTER	NDX241214545P050GM
Super Z Hyperdrive 60" Super 88	26 X 12.00-16, 5 ON 4.5, 0.5 OFFSET	GRASS MASTER	NDX261216545P050GM
Super Z Hyperdrive 66" & 72" Super 104	26 X 12.00-16, 5 ON 4.5, -1 OFFSET	GRASS MASTER	NDX261216545N1GM
JOHN DEERE			
ZTrak Z540R 48", 54" & 60"/Z720E 54" & 60"/ Z730M 54" & 60"/ Z735M 54" & 60"/Z735E 60"	23 X 10.50-14, 4 ON 4, -1 OFFSET	GRASS MASTER ZERO T II S	NDX2310501444N1GM NDX2310501444N1ZTIIS
ZTrak Z740R/Z915E 54" & 60"/Z920M/Z925M 54" & 60"/ Z930M/Z930R 54" & 60"/Z950M/Z950R/Z970R 60"/ Z994 54", 60" & 72"	24 X 12.00-14, 4 ON 4, -1 OFFSET	GRASS MASTER	NDX24121444N1GM
ZTrak Z950M/Z950R/Z970R 72"	24 X 12.00-14, 4 ON 4, -2.25 OFFSET	GRASS MASTER	NDX24121444N225GM
ZTrak Z997 54" & 60"	26 X 12.00-16, 4 ON 4, -1 OFFSET	GRASS MASTER	NDX26121644N1GM
KIOTI			
ZXC60/ZXC48 SE/ZXC54 SE/ZXC60 SE	23 X 10.50-14, 4 ON 4, -2.25 OFFSET	GRASS MASTER	NDX2310501444N225GM
CS2210/CS2510	26 X 12.00-16, 5 ON 4.5, -1 OFFSET	GRASS MASTER	NDX261216545N1GM

Fitment	Description	Brand	Part Number
KUBOTA			
ZG222/ZG227	23 X 10.50-14, 5 ON 4.5, -1 OFFSET	GRASS MASTER ZERO T II S	NDX23105014545N1GM NDX23105014545N1ZTIIS
SZ26-61	23 X 10.50-14, 4 ON 4, -1 OFFSET	GRASS MASTER ZERO T II S	NDX2310501444N1GM NDX2310501444N1ZTIIS
Z751KWi-48	24 X 9.50-14, 5 ON 4.5, -1 OFFSET	GRASS MASTER	NDX2495014545N1GM
Z421KWT-60 (Z400)	24 X 12.00-14, 4 ON 4, -1 OFFSET	GRASS MASTER	NDX24121444N1GM
Z725KH-60/Z726XKW-60/Z725KH-2-60/Z726XKW-2-60/ Z781KWTi-60/ZD1021-60	24 X 12.00-14, 5 ON 4.5, -1.5 OFFSET	GRASS MASTER	NDX241214545N150GM
ZD1211-60/ZD1211R-60R/ZD1211L-72/ ZD1211RL-72R/ZD1511RL-60R/ZD1511LF-72/ ZD1511RLF-72R/ZG327PA-60/ZG327RPA-60	26 X 12.00-16, 5 ON 4.5, -2.25 OFFSET	GRASS MASTER	NDX261216545N225GM
SCAG			
Cougar & Tiger Cub 48"	23 X 10.50-14, 4 ON 4, -1 OFFSET	GRASS MASTER	NDX2310501444N1GM
Cougar & Tiger Cub 52"	23 X 10.50-14, 4 ON 4, -2.25 OFFSET	GRASS MASTER	NDX2310501444N225GM
Tiger Cat & Wild Cat 48" Tiger Cat II 52"/STCII-52V	24 X 9.50-14, 4 ON 4, -1 OFFSET	GRASS MASTER	NDX249501444N1GM
V-Ride II 48" & 52" Tiger Cat & Wild Cat 52"	24 X 9.50-14, 4 ON 4, -2.25 OFFSET	GRASS MASTER	NDX249501444N225GM
V-Ride II 61" Wildcat 48"-72" Sabre Tooth 48"-72" Turf Tiger 48"-72"/SMT-61V & 72V Tiger Cat II STCII-61V Patriot 52" & 61"	24 X 12.00-14, 4 ON 4, -2.25 OFFSET	GRASS MASTER	NDX24121444N225GM
Cheetah 61"-72"	24 X 12.00-14, 5 ON 4.5, -1.5 OFFSET	GRASS MASTER	NDX241214545N150GM
Turf Tiger II 61" & 72"	26 X 12.00-16, 4 ON 4, -2.25 OFFSET	GRASS MASTER	NDX26121644N225GM
SPARTAN			
RT HD 54"/SRT PRO 54"	23 X 10.50-14, 5 ON 4.5, -1.5 OFFSET	GRASS MASTER ZERO T II S	NDX23105014545N150GM NDX23105014545N150ZTIIS
RT PRO 54" & 61"/RT HD 61"/SRT PRO 61"/SRT HD 54" & 61"/ SRT XD 61" & 72"	24 X 12.00-14, 5 ON 4.5, -1.5 OFFSET	GRASS MASTER	NDX241214545N150GM
TORO			
Z Master 60" & 72"	24 X 12.00-14, 4 ON 4, -1 OFFSET	GRASS MASTER	NDX24121444N1GM
WRIGHT			
ZTO 48"	23 X 10.50-14, 5 ON 4.5, -1.5 OFFSET	GRASS MASTER ZERO T II S	NDX23105014545N150GM NDX23105014545N150ZTIIS
MMZ 52"	24 X 9.50-14, 5 ON 4.5, -1.5 OFFSET	GRASS MASTER	NDX2495014545N150GM
MMZ 61"/ZTO 52" & 61"	24 X 12.00-14, 5 ON 4.5, -1.5 OFFSET	GRASS MASTER	NDX241214545N150GM



OTR is the operating unit of OTR International, Inc., comprising businesses located in the U.S., Canada, Europe, China, Thailand and Sri Lanka. OTR is a partner company of Owner Resource Group (ORG), LLC.

© 2024 OTR International, Inc. All Rights Reserved. | IS-US-V040924



Warranty Information